

euro media group

NOVA 104


Nova 104 is Nova 103's twin truck. Launched in 2020, Nova 104 is a state of the art UHD/HDR OB truck. As a part of our premium fleet, it is perfectly suited to cover large international events. Spacious enough to accommodate 38 users and equipped with the latest efficient technology, Nova 104 has everything required for the largest productions at the highest quality.

view

INSIDE




OUTSIDE



general

EQUIPMENT

	40 UHD CAMERAS INCLUDING 24 CCUS
	HDR workflow and dedicated supervision
	8 VTR positions
	HD : 12 (8IN/8OUT) UHD : 6 (4IN/2OUT)
	GV K-Frame X 9M/E
	Lawo MC56 MK3 48



TRUCK DETAILS

38 Seats



POWER REQUIREMENT

380/415V

2x marechal 63A

5Pin

TECHNICAL FEATURES

40 cameras UHD/HD

processing power

VIDEO

Video Mixer 1	GV K-Frame X 9M/E
Panel Mixer 1	GV Kayenne 4M/E
Multiviewers / Monitors	Axon & Monitoring Craltech / Sony
Dedicated HDR Supervision	Sony BVM-HX310
Video Mixer 2	GV K-Frame X 9M/E
Panel Mixer 2	GV Kayenne 2M/E
Hybrid router	GV Sirius 840 552 IN/776 OUT HD
Controler	EVS Cerebrum
HD Cameras	On Request : Sony HDC 1500 Sony HDC 2400 Sony HDC 3500 Sony HDC 4300
UHD Cameras	Sony HDC 4300 + Sony HDC 3500
Highspeed Cameras	Superloupe 4K DVS Sony HDC 4300 Sony HDC 4800
HD Lenses	Canon : 11x, 14x, 17x, 21x, 55x, 72x, 86x, 100x
UHD Lenses	Canon : 12x, 20x, 90x
Wireless Cameras	Livetools HD RUNNER III Livetools HD FUSION

AUDIO

Audio Mixer	Lawo MC56 MK3 48 + 16 Faders, UHD Processor / Core DSP 512 Channel Ravenna/Madi/AES/Dante
Stagebox	2 Stageboxes 40 Mic IN / 20 Line OUT 8 AES I/O / 1 Madi 64
Surround	5.1 Dolby Surround 5.1.4 Dolby Atmos
Monitoring	PMC Twotwo6 / 5 / Sub1
Devices	2 Codec IP AETA Scoop5S 1 Codec RNIS TC M3000 - TC M6000 TC DB8 Encoder/Decoder Dolby E PC Sampler/Multitrack
Microphones	On Request
Multitrack Audio Recorder	On Request
Audio Effects Unit	On Request


INTERCOM

Intercom RF	Riedel Bolero 14 Beltpacks
Wireless intercom	Riedel Artist 1024

SERVERS / LSM


Server positions	HD : 12 (8IN/8OUT) UHD : 6 (4IN/2OUT)
Server type	on request Sony HDCAM/XDCAM EVS XT 3 & XT VIA SimplyLive Vibox 8 & 16 Sony PWS 4500

dimensions & weight



MAIN TRUCK
DM - 9 8 8 - K B

Length	Truck : 14,20m Tractor : 16,50m
Height	4,10m
Weight	34 tons



TENDER TRUCK
CH - 1 8 6 - P G

Length	Truck : 13,72m Tractor : 16,50m
	Width : 4,85m Height : 4,00m
	Power Generator

IN SERVICE

Width	close : 2,55m open : 5,55m
	Energy consumption

contact

sales@euromediagroup.com

www.euromediagroup.com